

HAPPINESS STARTS IN YOUR KITCHEN

Since its inception in 1996, FOTILE has carved a niche in the industry of being the No 1 high end kitchen appliances brand in China, specializes in developing built-in kitchen appliances like hoods, hobs, ovens, combi ovens, microwave ovens, steam ovens and sink dishwashers.

We have the largest R&D center in the world with **8000sqm**. With technology, innovation design and performance as the key factors in Fotile manufacturing, we have achieved **13000+** patents in product and **3300+**** in invention, bringing innovative and good quality product to over **17 millions** of families around the world. FOTILE commitments to excellence not only bringing satisfaction to our customer, we have won a numerous international accolade namely RedDots design awards, IF Product Design Award that uplifting the industry standard of designs and product innovations.

At FOTILE, our business is built on the foundation of product innovation and creating kitchen appliances that are functional, stylish and family oriented. That is why FOTILE is constantly inventing, designing and creating extraordinary products while maintaining its reputation as a leading kitchen expert that puts families at the first place.

Marking a remarkable milestone, FOTILE has launched its first largest kitchen appliances gallery named the FOTILE Style located at TaoJiang road, Shanghai, in year 2012. This gallery showcasing the brand's most prestigious kitchen appliances. A 'futuristic corner' is introduced in this gallery, allows visitors a glimpse into some of FOTILE'S most innovative technology.

In Indonesia, FOTILE's journey commenced in 2016 and has rapidly expanded to over 30 cities through partnerships with more than 50 leading distributors. As a self-manufacturing brand committed to excellence, it stands apart in the OEM-dominated market while pursuing its vision of becoming a global leader in kitchen appliances.

Under the promotion and guidance of FOTILE, the Indonesian kitchen is no longer a "workshop" that exists only for cooking. It is gradually becoming a living space which integrates dining and kitchen space, a new emotional center and social center, and a "birthplace" for creating a happy experience for the family.

- Dusseldorf, Germany; Osaka, Japan; Ningbo, China ; three global centers
- Revise international standards* for extractor hoods

* IEC 60335-2-31: Household and Similar Electrical Appliances-Safety-Part

2-31: Particular Requirements for Range Hoods and Other Cooking Fume Extractors

** Data as of Mar 31st, 2024



fotile.id



@fotile_id



FOTILE Indonesia



id.fotileglobal.com



@fotile_id



0852 1251 4939

email:fotileservice.id@gmail.com CS:0800 1819 777(Toll Free) Office:(021)2267 3333
(021)2267 3888

FOTILE Z

Where Eastern Innovation Meets Western Elegance

Powerful Suction | Turbo Vent | Sleek Design

FOTILE Z



Traditional Range Hood



Poor extraction and ventilation at source



Obtrusive cabinet
Head bumps during cooking



Design mismatch with
cabinet. Tedious installation



Hard-to-clean detachable
oil filter & inner cavity

New FOTILE Range Hood



Powerful extraction at source
only 560mm from the stove



Spacious illusion with
flush-mounted design



Slim design for seamless
cabinet integration



Sleek panel & easy-to-remove
and clean grille filter

Wider Area, Closer Extraction Effective Ventilation

◀ 900 mm


900mm-Wide Suction Plate

Its 900mm-wide suction plate intercepts cooking smoke and extracts it before it spreads.

▼ 560 mm
▲

560mm Closer Extraction

Only 560mm from the stove and about 150mm lower than traditional range hood, it effortlessly captures cooking smoke straight at its source.




Silent & Powerful Extraction



NVH Technology

NVH technology addresses noise, vibration, and harshness from multiple angles to create a more pleasant cooking environment for you. It includes features such as a BLDC motor, vibration dampers, sound-absorbing fiber cotton, a bionic wing impeller, and noise-reducing components.



Stronger Brushless Direct-Current Inverter (BLDC) More Powerful, Better Efficiency

The BLDC motor uses Microchip Technology along with field-oriented (FOC) algorithm boosts maximum static pressure up to 1140 Pa with an unrestrained airflow of 2450m³/h to remove cooking smoke while keeping noise level as low as 40dB.



Elegant Design Seamless Integration

Versatile Installation

325mm ultra-slim hood design perfectly matches any cabinet to define your ideal kitchen.

Flush Mount • Raised Mount • Independent • Combination

Integrated Kitchen Space

Integrates seamlessly into cabinets, enhancing the kitchen's visual appeal and avoiding head bumps while cooking.

Elegant Black Tempered Glass

The sophisticated black tempered glass blends gracefully with the kitchen space and highlights its premium quality.

Smart Cooking Experience



Smart Sync*

Sync gas hob with range hood. Upon gas hob ignition, range hood automatically turns on to remove cooking smoke.

*Hood-hob sync needs to be paired with FOTILE's hob that has a sync feature.



Intelligent Air Management

Automatically detects harmful gases in the air before ventilating and purifying the air to keep your kitchen fresh, even when you are not cooking or in the kitchen.

Air Condition	Fan Mode
Good	Off
Normal	Low Speed
Severe	High Speed



Smart SMOTION (Smoke + Motion) Detection

Simply wave your hand to activate the range hood and lights. Stress-free and cook like a breeze!

Intelligent Air Management



Smart Sync*



Smart SMOTION (Smoke + Motion) Detection

FOTILE Z



Additional Convenient Features



Tempered Glass Design

Clean with one wipe and resists fingerprints

Built-In Large Oil Cup

Sleek appearance with a larger capacity, reducing washing frequency

Dual Removeable Grille Filter

Easy to remove and clean, even in the sink




ZMG9056




ZMG6009

Power Supply	220-240V 50Hz	220V-/50Hz
Motor Type	BLDC	AC
Motor Power (W)	358	258
Lighting (W*1)	1.5W*2	1.5W*2
Speed Level	Turbo+2	3
Max IEC Airflow(m ³ /h)	1510	990
Noise Level(dB)	53/49/40	55/52/48
Max Static Pressure(Pa)	1170	370
Timer	2min	N
Control	Touch+Motion	Touch
Filter Type	Removable	N
Intelligent Air Management	Y	N
Smart Sync	Y	N
Product Dimension (mm) (W×D×H)	897x375x740	601x355x427

Product Dimension Diagram (Measurement in mm)



ZMG9056



ZMG6009